

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK SILICONE MP SEALANT BROWN Supercedes Date: 01-Apr-2016 Revision Date 10-May-2018 Revision Number 2

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name Pure substance/mixture EVO-STIK SILICONE MP SEALANT BROWN Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended useSealant.Uses advised againstNone known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Industries Limited Newtown, Swords Co. Dublin Ireland Tel: +353 (1) 8624900 Fax: +353 (1) 8402186

E-mail address

SDS.box-EU@bostik.com

#### 1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

## Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

**Special provisions concerning the labelling of certain mixtures** EUH208 - Contains 3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-. May produce an allergic reaction EUH210 - Safety data sheet available on request

#### Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

#### 2.3. Other Hazards

#### General Hazards

No information available.

#### PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

United Kingdom, Ireland - BE

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical Name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	932-078-5		15 - 25	Asp. Tox. 1 (H304)		01-2119552497-29 -xxxx
Triacetoxy(propyl)silane	241-816-9	17865-07-5	1 - <5	Skin Corr. 1B (H314)		01-2119966899-07 -XXXX
Silanetriol, methyl-, triacetate	224-221-9	4253-34-3	1- <2.5	Skin Corr. 1C (H314) Acute Tox. 4 (H302) (EUH014)		01-2119962266-32 -XXXX
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	264-843-8	64359-81-5	0.01 - <0.1	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 4 (H302) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (410)		No data available

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

General Advice	No special measures are necessary.
Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Skin Contact	Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a doctor.
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a doctor.
Ingestion	Immediate medical attention is not required. If swallowed, rinse mouth with water (only if

### EVO-STIK SILICONE MP SEALANT BROWN

Supercedes Date: 01-Apr-2016

the person is conscious). Drink 1 or 2 glasses of water. Do NOT induce vomiting. If<br/>symptoms persist, call a doctor.Self-Protection of the First AiderUse personal protective equipment as required.4.2. Most important symptoms and effects, both acute and delayedNone known.SymptomsNone known.4.3. Indication of any immediate medical attention and special treatment neededTreat symptomatically.

## Section 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable Extinguishing Media

No information available

#### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

## Section 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### **Personal Precautions**

Use personal protective equipment as required. Avoid contact with eyes and skin. Ventilate affected area. Evacuate personnel to safe areas.

#### For emergency responders

Use personal protection recommended in Section 8.

#### 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.
6.4 Reference to other sections	

#### 6.4. Reference to other sections

Reference to other sections	Section 7: HANDLING AND STORAGE
	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
	See Section 13: DISPOSAL CONSIDERATIONS

## Section 7: HANDLING AND STORAGE

#### **EVO-STIK SILICONE MP SEALANT BROWN**

Supercedes Date: 01-Apr-2016

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required.

#### General Hygiene Considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep container tightly closed. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labelled containers.

### 7.3. Specific end use(s)

#### Other Information

Recommendation(s). Observe technical data sheet.

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

Derived No Effect Level (DNEL) No information available

**Predicted No Effect Concentration** No information available. **(PNEC)** 

8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

#### Personal Protective Equipment

Eye/Face Protection	Tight sealing safety goggles. Face protection shield.
Hand Protection	Gloves made of plastic or rubber. Ensure that the breakthrough time of the glove
	material is not exceeded. Refer to glove supplier for information on breakthrough time for
	specific gloves. The breakthrough time of the gloves depends on the material and the
	thickness as well as the temperature.
Skin and Body Protection	Suitable protective clothing.

Environmental Exposure Controls Do not allow into any sewer, on the ground or into any body of water.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1. Information on basic physical and chemical properties

Physical State Appearance Colour Odour Odour Threshold

Property pH Melting point / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Liquid Paste Viscous Brown Acetic acid No information available

Values No information available No information available > 300 °C / 572 °F > 100 °C / > 212 °F No information available No information available Remarks • Method pH .?

Not applicable for liquids Not applicable

#### EVO-STIK SILICONE MP SEALANT BROWN Supercedes Date: 01-Apr-2016

Revision Date 10-May-2018 Revision Number 2

Upper flammability limit:	No information available No information available	
Lower flammability limit		
Vapour Pressure	No information available	
Vapour Density	No information available	
Relative Density	No information available	
Water Solubility	Immiscible in water	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Explosive Properties	Not an explosive	
Explosive Limits	No information available	
Upper	No information available	
Lower	No information available	
Oxidising Properties	No information available	
Kinematic Viscosity	$> 20.6 \text{ mm}^2/\text{s}$	@ 40°C
Thematic Viscosity	20.0 111170	0 10 0
Dynamic Viscosity	No information available	
9.2. Other information		
Softening Point	No information available	
Molecular Weight	No information available	
Solvent content (%)	No information available	
Solid content (%)	No information available	
Density	$0.97 \text{ g/cm}^3$	
Bulk Density	No data available	
-		
VOC content (%)	0.00 /0	

## Section 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

None under normal use conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

Explosion Data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

### 10.3. Possibility of hazardous reactions

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### 10.4. Conditions to avoid

Heat, flames and sparks.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

None under normal use conditions.

### Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

## EVO-STIK SILICONE MP SEALANT BROWN

Supercedes Date: 01-Apr-2016

#### Information on likely routes of exposure

#### **Product Information**

No information or data specific to the product on this toxicological (health) effect is available.

Inhalation Eye contact	Based on available data, the classification criteria are not met. Product not classified due to level of crosslinking agent of silicone sealant being below level for classification based on in-vivo testing (Hygiene-Institut des Ruhergebiets-
	Germany- May 2014).
Skin Contact	Product not classified due to level of crosslinking agent of silicone sealant being below level for classification based on in-vivo testing (Hygiene-Institut des Ruhergebiets-
la ma a ti a m	Germany- May 2014).
Ingestion	Based on available data, the classification criteria are not met.
Sensitisation	Based on available data, the classification criteria are not met.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/Irritation	Not applicable.
Serious eye damage/eye irritation	Not applicable.
Sensitisation	Repeated or prolonged contact may cause allergic reactions in very susceptible persons.
Germ Cell Mutagenicity	Not applicable.
Carcinogenicity	Not applicable.
Reproductive Toxicity	No information available.
STOT - Single Exposure	No information available.
STOT - Repeated Exposure	No information available.
Aspiration hazard	No information available.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 91,954.00 mg/kg

#### **Component Information**

#### **Toxicity Data**

#### Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics 	LD50 > 5000 mg/kg (rat) OECD 401	LD50 > 2000 mg/kg (rabbit) OECD 402	-
Silanetriol, methyl-, triacetate 4253-34-3	LD50 = 1600 mg/kg (Rat) OECD 401	-	-

## Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

#### Ecotoxicity

No information available

### **EVO-STIK SILICONE MP SEALANT BROWN**

Supercedes Date: 01-Apr-2016

### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics 	EL50 (72h) > 10 000 mg/L (Skeletonema costatum)	LL50 (96h) > 1028 mg/L (Scophthalmus maximus)	LL50 (48h) > > 3193 mg/l (Acartia tonsa)	
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl- 64359-81-5	EC50 (72h) =0.025 mg/L Algae (Scenedesmus subspicatus)(OECD 201)	LC50 (96h) 0.0078 mg/L Fish (Oncorhynchus mykiss)(OECD 203)		100

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### Partition coefficient

No information available

#### 12.4. Mobility in soil

Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No information available

#### **Endocrine Disruptor Information**

This product does not contain any known or suspected endocrine disruptors.

## Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from Residues/Unused Products	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Improper disposal or reuse of this container may be dangerous and illegal.
European Waste Catalogue	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

## Section 14: TRANSPORT INFORMATION

ADRNot regulated14.1UN/ID noNot regulated14.2Proper Shipping NameNot regulated14.3Transport hazard class(es)Not regulated

EVO-STIK SILICONE MP SEALANT BROWN Supercedes Date: 01-Apr-2016 Revision Date 10-May-2018 Revision Number 2

14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
IMDG	
14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Marine Pollutant	Np None
14.6 Special Provisions	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available	
RID	
14.1 UN Number	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
-	
ICAO (air)	
14.1 UN/ID no	Not regulated
14.2 Proper Shipping Name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
1474	
<u>IATA</u> 14.1 UN/ID no	Not regulated
14.1 ON/D no 14.2 Proper Shipping Name	Not regulated Not regulated
14.3 Transport hazard class(es)	Not regulated
14.3 Packing Group	Not regulated
14.5 Environmental Hazard	Not applicable
14.6 Special Provisions	None
	Nono

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

## EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

#### **EVO-STIK SILICONE MP SEALANT BROWN**

Supercedes Date: 01-Apr-2016

Revision Date 10-May-2018 Revision Number 2

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

#### Persistent Organic Pollutants Not applicable

#### 15.2. Chemical safety assessment

None

#### Section 16: OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H304 - May be fatal if swallowed and enters airways

EUH014 - Reacts violently with water

#### Legend

SVHC: Substances of Very High Concern for Authorisation:

 Legend
 Section 8: Exposure controls and personal protection

 TWA
 TWA (time-weighted average)
 STEL

 Ceiling
 Maximum limit value
 \*

 PBT
 Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
 \*

 STOT (RE):
 Specific target organ toxicity - Repeated exposure
 STOT (SE):

 STOT (SE):
 Specific target organ toxicity - Single exposure

 EWC:
 European Waste Catalogue

STEL (Short Term Exposure Limit) Skin designation

#### Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By	Product Safety & Regulatory Affairs
Revision Date	10-May-2018
Indication of changes	
Revision Note	SDS sections updated, 2, 3, 11, 12.
Training Advice	No information available
Further information	No information available

This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006

#### EVO-STIK SILICONE MP SEALANT BROWN Supercedes Date: 01-Apr-2016

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet