

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Pure substance/mixture BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

| Recommended use | Paints and varnishes. |
|----------------------|-----------------------|
| Uses advised against | None known. |

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

Emergency Telephone

No information available

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

| Specific target organ toxicity — single exposure | Category 3 - (H336) |
|--|---------------------|
| Specific target organ toxicity — repeated exposure | Category 1 - (H372) |
| Chronic aquatic toxicity | Category 2 - (H411) |
| Flammable liquids | Category 3 - (H226) |

2.2. Label elements

Contains Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%), Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics



Signal word Danger

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

Hazard statements

- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.
- H226 Flammable liquid and vapour.

EU Specific Hazard Statements

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

- P102 Keep out of reach of children
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- P260 Do not breathe vapour
- P271 Use only outdoors or in a well-ventilated area
- P273 Avoid release to the environment
- P280 Wear protective gloves and eye/face protection
- P312 Call a POISON CENTER or doctor if you feel unwell
- P391 Collect spillage
- P403 + P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/ container to an approved waste disposal plant

Additional information

This product requires tactile warnings if supplied to the general public. This product requires child resistant fastenings if supplied to the general public.

2.3. Other hazards

In use, may form flammable/explosive vapour-air mixture.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EC No | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Specific concentration limit (SCL) | REACH registration number |
|--|-----------|------------|-----------|--|--|---------------------------------|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | 919-446-0 | RR-91855-8 | >25 - <40 | STOT SE 3 (H336) STOT RE 1 (H372) Asp. Tox. 1 (H304) Aquatic Chronic 2 (H411) Flam. Liq. 3 (H226) (EUH066) | | 01-2119458049- 33-XXXX |
| Hydrocarbons, C9-C11, n-alkanes, isoalkanes, | 919-857-5 | | 5 - <10 | STOT SE 3 (H336) | | 01-2119463258- 33-XXXX |

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

| cyclics, <2% aromatics | | Asp. Tox. 1 | |
|------------------------|--|--------------|--|
| - | | (H304) | |
| | | (EUH066) | |
| | | Flam. Liq. 3 | |
| | | (H226) | |

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

4.1. Description of first aid measures

| General advice | Show this safety data sheet to the doctor in attendance. |
|------------------------------------|---|
| Inhalation | Remove to fresh air. IF exposed or concerned: Get medical advice/attention. |
| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. |
| Skin contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. |
| Ingestion | Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a doctor. |
| Self-protection of the first aider | Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. |

4.2. Most important symptoms and effects, both acute and delayed

SymptomsInhalation of high vapour concentrations may cause symptoms like headache, dizziness,
tiredness, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

| Note to doctors | Treat symptomatically. |
|------------------------------|--|
| SECTION 5: Firefighting m | easures |
| 5.1. Extinguishing media | |
| Suitable Extinguishing Media | Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam. |

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

| Specific hazards arising from the | Risk of ignition. Keep product and empty container away from heat and sources of |
|-----------------------------------|---|
| chemical | ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated |
| | fire extinguishing water must be disposed of in accordance with local regulations. |

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

5.3. Advice for firefighters

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout
gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| Personal precautions | See section 8 for more information. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. |
|-------------------------------------|--|
| Other information | Ventilate the area. Refer to protective measures listed in Sections 7 and 8. |
| For emergency responders | Use personal protection recommended in Section 8. |
| 6.2. Environmental precautions | |
| Environmental precautions | Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. |
| 6.3. Methods and material for conta | ainment and cleaning up |
| Methods for containment | Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| Methods for cleaning up | Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. |
| 6.4. Reference to other sections | |
| Reference to other sections | See section 8 for more information. See section 13 for more information. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handlingUse personal protection equipment. Avoid contact with skin and eyes. Keep away from
heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use
grounding and bonding connection when transferring this material to prevent static
discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and
explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to
package label instructions. Handle in accordance with good industrial hygiene and safety
practice. Avoid breathing vapours or mists. In case of insufficient ventilation, wear
suitable respiratory equipment.General hygiene considerationsDo not eat, drink or smoke when using this product. Contaminated work clothing should
not be allowed out of the workplace. Regular cleaning of equipment, work area and
clothing is recommended. Wash hands before breaks and immediately after handling the
product.

7.2. Conditions for safe storage, including any incompatibilities

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. |
|---|--|
| 7.3. Specific end use(s) | |
| Specific use(s) Paints and varnishes. | |
| Risk Management Methods (RMM) | The information required is contained in this Safety Data Sheet. |
| Other information | Observe technical data sheet. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Derived No Effect Level (DNEL) No information available

| Derived No Effect Level (DNEL) | | | | | |
|--|----------------|-----------------------------------|---------------|--|--|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (RR-91855-8) | | | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | |
| worker Long term Systemic health effects | Inhalation | 330 mg/m³ | | | |
| worker Long term Systemic health effects | Dermal | 44 mg/kg bw/d | | | |

| Derived No Effect Level (DNEL) | | | | | |
|--|----------------|-----------------------------------|---------------|--|--|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) (RR-91855-8) | | | | | |
| Туре | Exposure route | Derived No Effect Level (DNEL) | Safety factor | | |
| Consumer Long term Systemic health effects | Inhalation | 71 mg/m³ | | | |
| Consumer Long term Systemic health effects | Dermal | 26 mg/kg bw/d | | | |
| Consumer Long term Systemic health effects | Oral | 26 mg/kg bw/d | | | |

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

exhausted directly at the point of origin.

| Personal protective equipment Eye/face protection Hand protection | Tight sealing safety goggles. Eye protection must conform to standard EN 166. Wear protective gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. |
|---|---|
| Skin and body protection | Gloves made of plastic or rubber. Antistatic footwear. Wear fire/flame resistant/retardant clothing. |
| Respiratory protection | In case of inadequate ventilation wear respiratory protection. In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Recommended filter type: | Organic gases and vapours filter conforming to EN 14387. |
| Environmental exposure controls | Local authorities should be advised if significant spillages cannot be contained. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state Appearance Colour Odour Odour threshold | Liquid Liquid Silver bronze Characteristic No information available | |
|--|---|-----------------------------------|
| Property | Values | Remarks • Method |
| pH | No data available | Not applicable Insoluble in water |
| Melting point / freezing point | No data available | |
| Initial boiling point and boiling | >= 153 °C | |
| range | | |
| Flash point | > 39 °C | |
| Evaporation rate | No data available | |
| Flammability | Not applicable for liquids . | |
| Flammability Limit in Air | | |
| Upper flammability or explosive | No data available | |
| limits | | |
| Lower flammability or explosive | No data available | |
| limits | | |
| Vapour pressure | No data available | |
| Relative vapour density | No data available | |
| Relative density | No data available | |
| Water solubility | Insoluble in water | |
| Solubility(ies) | No data available | |
| Partition coefficient | No data available | |
| Autoignition temperature | 200 °C | |
| Decomposition temperature | No data available | |
| Kinematic viscosity | > 367 mm²/s | @ 40°C |
| Dynamic viscosity | No data available | |
| Explosive properties | No data available | |
| Oxidising properties | No data available | |
| 9.2. Other information Solid content (%) VOC Content (%) | No information available <= 400 g/L | |
| Density | No information available a/am3 | |

No information available g/cm³

SECTION 10: Stability and reactivity

Density

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

| 10.1. Reactivity | |
|---|--|
| Reactivity | No information available. |
| 10.2. Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data | |
| Sensitivity to mechanical | None. |
| impact Sensitivity to static discharge | Yes. |
| 10.3. Possibility of hazardous reac | tions_ |
| Possibility of hazardous reactions | None under normal processing. |
| 10.4. Conditions to avoid | |
| Conditions to avoid | Heat, flames and sparks. |
| 10.5. Incompatible materials | |
| Incompatible materials | None known based on information supplied. |
| 10.6. Hazardous decomposition pr | oducts |
| Hazardous decomposition products | None under normal use conditions. Stable under recommended storage conditions. |
| SECTION 11: Toxicological | information |
| 11.1. Information on toxicological | effects |
| Information on likely routes of exp | osure |
| Product Information | |
| Inhalation | May cause drowsiness or dizziness. |
| Eve contact | Based on available data, the classification criteria are not met |

| Eye contact | Based on available data, the classification criteria are not met. |
|--------------|---|
| Skin contact | Based on available data, the classification criteria are not met. |
| Ingestion | Based on available data, the classification criteria are not met. |

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Numerical measures of toxicity

Acute toxicity

The following values are calculated based on chapter 3.1 of the GHS document

.

Component Information

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

| | _ | | |
|---------------------------------|----------------------------|----------------------------|----------------------------|
| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
| Hydrocarbons, C9-C12, | LD50 >15000 mg/Kg (Rattus) | LD50 > 3400 mg/kg (Rattus) | LC50 (4hrs) >13.1 mg/l |
| n-alkanes, isoalkanes, cyclics, | OECD 401 | OECD 402 | (Rattus) |
| aromatics (2-25%) | | | |
| RR-91855-8 | | | |
| Hydrocarbons, C9-C11, | LD50 >2000 mg/kg (Rattus) | >3000 mg/Kg (Rattus) | Ld50 (4h)>5.6mg/L (Rattus) |
| n-alkanes, isoalkanes, cyclics, | | | |
| <2% aromatics | | | |
| | | | |
| | | | |

| Delayed and immediate effects as well as chronic effects from short and long-term exposure | | | |
|--|---|--|--|
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. | | |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. | | |
| Respiratory or skin sensitisation | Based on available data, the classification criteria are not met. | | |
| Germ cell mutagenicity | Based on available data, the classification criteria are not met. | | |
| Carcinogenicity | Based on available data, the classification criteria are not met. | | |
| Reproductive toxicity | Based on available data, the classification criteria are not met. | | |
| STOT - single exposure | May cause drowsiness or dizziness. | | |
| STOT - repeated exposure | Causes damage to organs through prolonged or repeated exposure. | | |
| Aspiration hazard | Based on available data, the classification criteria are not met. | | |
| 11.2. Information on other haza | ards | | |
| 11.2.1. Endocrine disrupting prop | perties | | |
| Endocrine disrupting properties | No information available. | | |
| 11.2.2. Other information | | | |
| Other adverse effects | No information available. | | |
| SECTION 12: Ecological information | | | |

12.1. Toxicity

Ecotoxicity

Toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic | Fish | Toxicity to | Crustacea | M-Factor | M-Factor |
|---------------|---------------|------|----------------|-----------|----------|-------------|
| | plants | | microorganisms | | | (long-term) |

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

| Hydrocarbons, C9-C12, | EL50 (72h) = | 10-30 mg/l | - | 10-30mg/l | |
|------------------------|-------------------|--------------|---|---------------|--|
| n-alkanes, isoalkanes, | 4.1 mg/l (| - | | (daphnia | |
| cyclics, aromatics | Pseudokirchner | | | magna) | |
| (2-25%) | ella subcapitata) | | | | |
| RR-91855-8 | OECD 401 | | | | |
| Hydrocarbons, C9-C11, | - | LC50 (96h) | - | LL50 (48h) | |
| n-alkanes, isoalkanes, | | >1000 mg/L | | >1000 mg/L | |
| cyclics, <2% aromatics | | Oncorhynchus | | Daphnia magna | |
| | | mykiss | | _ | |
| | | | | | |

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

. The product does not contain any substance(s) classified as PBT or vPvB.

| Chemical name | PBT and vPvB assessment |
|---|---------------------------------|
| Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics | The substance is not PBT / vPvB |
| (2-25%) | |
| RR-91855-8 | |

12.6. Other adverse effects

Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

| Waste from residues/unused products | Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. |
| European Waste Catalogue | 17 03 02 bituminous mixtures other than those mentioned in 17 03 01 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances 15 01 10*: Packaging containing residues of or contaminated by dangerous substances |
| Other information | Waste codes should be assigned by the user based on the application for which the product was used. |

SECTION 14: Transport information

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

| Note: | The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments made in non-bulk packages (see regulatory definition). The information shown here, may not always agree with the bill of lading shipping description for the material. |
|---|---|
| Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) Labels 14.4 Packing group Description 14.5 Environmental hazards 14.6 Special Provisions Classification code Tunnel restriction code Limited Quantity (LQ) ADR Hazard Id (Kemmler Number) | UN1999 Tars, liquid, Environmentally Hazardous 3 3 III UN1999, Tars, liquid, 3, III, (D/E), Environmentally Hazardous Yes None F1 (D/E) 5 L 30 |
| IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name | UN1999 Tars, liquid (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), |
| | Marine Pollutant |
| 14.3 Transport hazard class(es) | 3 |
| 14.4 Packing group Description | UN1999, Tars, liquid (Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)), 3, III, (39°C c.c.), Marine Pollutant |
| 14.5 Marine pollutant | P |
| 14.6 Special Provisions | 955 |
| Limited Quantity (LQ) | 5L |
| EmS-No | F-E, S-E |
| 14.7 Transport in bulk according | to Annex II of MARPOL and the IBC Code Not applicable |
| Air transport (ICAO-TI / IATA-DGR 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) |) UN1999 Tars, liquid 3 |
| 14.4 Packing group | III |
| Description | UN1999, Tars, liquid, 3, III |

| 14.3 Transport hazard class(es) | 3 |
|---------------------------------|----------------------|
| 14.4 Packing group | III |
| Description | UN1999, Tars, liquid |
| 14.5 Environmental hazards | Yes |
| 14.6 Special Provisions | A3 |
| Limited Quantity (LQ) | 10 L |
| ERG Code | 3L |
| | |

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Dangerous substance category per Seveso Directive (2012/18/EU)

P5a - FLAMMABLE LIQUIDS P5b - FLAMMABLE LIQUIDS P5c - FLAMMABLE LIQUIDS E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants

Not applicable

REGULATION (EU) 2019/1148 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 20 June 2019 on the marketing and use of explosives precursors

This product contains

| Chemical name | Reporting of suspicious transactions, disappearances and thefts | Restricted |
|-----------------------------|---|------------|
| Aluminium Oxide - 7429-90-5 | Х | |

National regulations

France

Germany

Ordinance on Industrial Safety and Health - Germany - BetrSichV Flammable liquid (R10), EEC: refer to Annex III No. 1 (fire and explosion hazards) and § 7 paragraph 3

Water hazard class (WGK) obviously hazardous to water (WGK 2)

Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands)

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR

Supercedes Date: 25-Jan-2021

Revision date 15-Feb-2021 Revision Number 3.03

Not Listed

DenmarkRegistration number(s) (P-no.)No information availableNorwayRegistration number(s) (PRN-no.)No information available

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

EUH066 - Repeated exposure may cause skin dryness or cracking

H226 - Flammable liquid and vapour

H304 - May be fatal if swallowed and enters airways

H336 - May cause drowsiness or dizziness

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

| Legend | |
|---------|---|
| TWA | TWA (time-weighted average) |
| STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Ceiling Limit Value |
| * | Skin designation |
| SVHC | Substance(s) of Very High Concern |
| PBT | Persistent, Bioaccumulative, and Toxic (PBT) Chemicals |
| vPvB | Very Persistent and very Bioaccumulative (vPvB) Chemicals |
| STOT RE | Specific target organ toxicity - Repeated exposure |
| STOT SE | Specific target organ toxicity - Single exposure |
| EWC | European Waste Catalogue |
| | |

Key literature references and sources for data

No information available

| Prepared By | Product Safety & Regulatory Affairs |
|-----------------------|--|
| Revision date | 15-Feb-2021 |
| Indication of changes | |
| Revision note | Not applicable. |
| Training Advice | Provide adequate information, instruction, and training for operator |
| Further information | No information available |

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

BOSTIK SILVACOTE ALUMINIUM SOLAR PROTECTOR Supercedes Date: 25-Jan-2021 Revision date 15-Feb-2021 Revision Number 3.03

End of Safety Data Sheet