SAFETY DATA SHEET

HG natural stone power cleaner (stripper) (HG product 40)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name
Product code
Product description
Product type
Other means of
identification

- : HG natural stone power cleaner (stripper) (HG product 40)
- : 213
- : Cleaner.
- : Liquid.
- : HG stripper, HG product 40

1.2 Relevant identified uses of the substance or mixture and uses advised against Not applicable.

1.3 Details of the supplier of the safety data sheet

HG International BV Damsluisweg 70 - NL-1332 EJ - Almere - The Netherlands Tel.: +31 (0)36 54 94 700 - Fax: +31 (0)36 54 94 744 Email: info@hg.eu - Internet: www.hg.eu

e-mail address of person : safety@hg.eu responsible for this SDS

National contact

HG Hagesan UK Ltd. Unit 2 Lanswood Park Broomfield Road Elmstead Market Colchester Essex CO7 7FD Tel.: 0044 (0)1206 822744 Fax: 0044 (0)1206 827019

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number	: England and Wales NHS Direct: 0845 4647
	Scotland NHS 24: 08454 24 24 24
	Republic of Ireland 01 809 2166
Supplier	
Telephone number	: +31 (0)36 54 94 777
Hours of operation	: Mo-Fr 9.00-17.00
Information limitations	: Only for medical personnel.

1/12

SECTION 2: Hazards identification

2.1 Classification of the sul	bstance or mixture
Product definition	: Mixture
Classification according t Eye Dam. 1, H318	o Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1,5%
Ingredients of unknown ecotoxicity	: Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1,5%
Classification according t	o Directive 1999/45/EC [DPD]
The product is not classifie	ed as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word	1	Danger
Hazard statements	1	Causes serious eye damage.
Precautionary statements		
General	:	If medical advice is needed, have product container or label at hand. Keep out of reach of children.
Prevention	:	Wear eye protection.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	1	Not applicable
Disposal	:	Not applicable
Hazardous ingredients	:	Alcohols, C9-11, ethoxylated
Supplemental label elements	:	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	:	Not applicable.
Tactile warning of danger	:	Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	:	None known.

SECTION 3: Composition/information on ingredients

Substance/mixture	: Mixture				
			Class	Classification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
2-(2-butoxyethoxy) ethanol	EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	>=5 - <10	Xi; R36	Eye Irrit. 2, H319	[1] [2]
Alcohols, C9-11, ethoxylated pentasodium	CAS: 68439-46-3 EC: 231-838-7	>=3 - <5 >=1 -	Xn; R22 Xi; R41 Not classified.	Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Irrit. 2, H315	[1] [1]
triphosphate	CAS: 7758-29-4	<5		Eye Irrit. 2, H319	
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures Eye contact : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Inhalation : Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention immediately. Call a poison center or physician. Flush Skin contact contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion : Get medical attention immediately. Call a poison center or physician. Chemical burns must be treated promptly by a physician. : No action shall be taken involving any personal risk or without suitable training. If it is **Protection of first-aiders** suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important sympto Potential acute health eff	s and effects, both acute and delayed	
Eye contact	- Causes serious eye damage.	
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.	
Skin contact	: No known significant effects or critical hazards.	
Ingestion	: May cause burns to mouth, throat and stomach.	
Date of issue/Date of revision	: 13-5-2015. Date of previous issue : No previous validation. Version : 1	3/

SECTION 4: First aid me	asures
Over-exposure signs/sympt	oms
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
4.3 Indication of any immedia	te medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefighting	measures
5.1 Extinguishing media	
Suitable extinguishing media	: Not applicable
Unsuitable extinguishing media	: Not applicable
5.2 Special hazards arising fr	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental	

6.1 Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.			
For emergency responders	 If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". 			

SECTION 6: Accidental release measures		
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
6.3 Methods and materia	Is for containment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	: Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product.	
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

HG natural stone power cleaner (stripper) (HG product 40)			
SECTION 8: Exposure controls/personal protection			
Product/ingredien	•	Exposure limit values	
2-(2-butoxyethoxy)ethanol		EU OEL (Europe, 12/2009). Notes: list of indicative occupational exposure limit values STEL: 101,2 mg/m ³ 15 minutes. STEL: 15 ppm 15 minutes. TWA: 67,5 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.	
Recommended monitoring procedures	atmosphere or of the ventilation protective equip the following: E the assessmen limit values and atmospheres - exposure to che (Workplace atm for the measure	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for t of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment of emical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be	
DNELs/DMELs No DNELs/DMELs available.			
PNECs No PNECs available			
8.2 Exposure controls			
Appropriate engineering controls	enclosures, loo	ons generate dust, fumes, gas, vapour or mist, use process cal exhaust ventilation or other engineering controls to keep worker borne contaminants below any recommended or statutory limits.	
Individual protection measur	<u>es</u>		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Eye/face protection	: Recommende	d: Safety glasses.	
Skin protection			
Hand protection	the preparation the degrees of	erial must be impermeable and resistant to the product/the substance/ n. Select the glove material taking account of the penetration times, permeability and the degrading.	
	characteristics consists of sev calculated in a from the glove Dirty gloves mu hand care. Onl hands carefully	a suitable glove depends on the material, but also on other quality and differs from manufacturer to manufacturer. As the product eral substances, the durability of the glove materials cannot be dvance and therefore requires testing before use. Always ask advice	

Permeation time of the glove material

You can ask the glove manufacturer for the exact penetration time; take this into account. If product may come into contact with hands, assuming a long contact of maximum 15 minutes, gloves of the following materials offer adequate protection according to DIN EN 374.

* butyl rubber (thickness > 0.5 mm)

Date of issue/Date of revision : 13-5-2015. Date of previous issue : No previous validation. Version : 1 6/1	Date of issue/Date of revision	: 13-5-2015.	Date of previous issue	: No previous validation.	Version :	1 6/12
--	--------------------------------	--------------	------------------------	---------------------------	-----------	--------

SECTION 8: Exposure controls/personal protection

	 * nitrile rubber (thickness > 0.35 mm) * polychloroprene rubber (thickness > 0.4 mm) * natural rubber (thickness > 0.5 mm) For continuous contact we recommend gloves with a breakthrough time of at least 240 minutes, with a preference for a breakthrough time of more than 480 minutes.
	Protection against splashes For short contact or splash protection, use the same gloves as for long contact. A shorter breakthrough time may be acceptable provided the gloves are replaced in time. Recommended: Latex gloves. or Nitrile gloves.
Body protection	: Not applicable
Other skin protection	: Not applicable
Respiratory protection	: Not applicable
Thermal hazards	: Not applicable
Environmental exposure controls	: Not applicable

SECTION 9: Physical and chemical properties

-		
9.1 Information on basic physical	ar	nd chemical properties
<u>Appearance</u>		
Physical state	1	Liquid.
Colour	1	White.
Odour	1	Odourless.
Odour threshold	1	Not available.
рН	1	8 to 9
Melting point/freezing point	1	0°C
Initial boiling point and boiling range	:	>100°C
Flash point	1	Closed cup: >100°C
Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Burning time	1	Not applicable.
Burning rate	1	Not applicable.
Upper/lower flammability or explosive limits	:	Not available.
Vapour pressure	:	Not available.
Vapour density	1	Not available.
Relative density	1	1,025
Solubility(ies)	1	Easily soluble in the following materials: cold water and hot water.
Solubility in water	4	Not available.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Explosive properties	:	Not available.
Oxidising properties	:	Not available.

9.2 Other information

No additional information.

7/12

: Not available.

HG natural stone power cleaner (stripper) (HG product 40)						
SECTION 10: Stability a	SECTION 10: Stability and reactivity					
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.					
10.2 Chemical stability	: The product is stable.					
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.					
10.4 Conditions to avoid	: No specific data.					
10.5 Incompatible materials	: No specific data.					
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.					

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-(2-butoxyethoxy)ethanol	LD50 Dermal	Rabbit	2700 mg/kg	-
	LD50 Oral	Rat	4500 mg/kg	-
Alcohols, C9-11, ethoxylated	LD50 Oral	Rat	1378 mg/kg	-
pentasodium triphosphate	LD50 Oral	Rat	3120 mg/kg	-

Conclusion/Summary

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observatio
2-(2-butoxyethoxy)ethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	20 milligrams	-
pentasodium triphosphate	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
Conclusion/Summary	: Not available.				
<u>Sensitisation</u>					
Conclusion/Summary	: Not available.				
<u>Mutagenicity</u>					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicity	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	v (repeated exposure)				
Not available.					
Aspiration hazard					
Not available.					
nformation on the likely outes of exposure	: Not available.				
ate of issue/Date of revision	: 13-5-2015. Date of pre	evious issue	- 64	o previous validation. Versio	n:1 8

Date of issue/Date of revision

: 13-5-2015. Date

Date of previous issue

: No previous validation.

HG natural stone power cleaner (stripper) (HG product 40)				
SECTION 11: Toxicological information				
Potential acute health effects				

Potential acute health	<u>effects</u>
Eye contact	: Causes serious eye damage.
Inhalation	: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May cause burns to mouth, throat and stomach.
Symptoms related to t	he physical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effect	<u>ots</u>
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

2.1 Toxicity			
Product/ingredient name	Result	Species	Exposure
2-(2-butoxyethoxy)ethanol Alcohols, C9-11, ethoxylated	Acute LC50 1300000 µg/l Fresh water Acute EC50 5,36 mg/l Fresh water	Fish - Lepomis macrochirus Crustaceans - Ceriodaphnia	96 hours 48 hours
		dubia - Neonate	
	Acute EC50 2686 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 8500 µg/l Fresh water	Fish - Pimephales promelas	96 hours
pentasodium triphosphate	Acute EC50 276,61 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
Conclusion/Summary	: Readily biodegradable	1	I

SECTION 12: Ecological information

12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose		Inoculum
Alcohols, C9-11, ethoxylated	OECD 301	88 % - Rea	dily - 28 days	-		-
Conclusion/Summary	: Readily biodegr	adable				•
Product/ingredient name	Aquatic half-life		Photolysis		Biodeg	radability
HG natural stone power cleaner (stripper) (HG product 40) Alcohols, C9-11, ethoxylated	-		-		Readily Readily	

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
2-(2-butoxyethoxy)ethanol	<1	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (K _{oc})	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment		
PBT	: Not applicable.	
vPvB	: Not applicable.	

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	 This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information				
	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

14.6 Special precautions for user

: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of	ⁱ substances	subject to	authorisation

: Not available.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	Not applicable.	
Other EU regulations		
Europe inventory	Not determined.	
Priority List Chemicals (793/93/EEC)	Listed	
<u>Seveso II Directive</u>		
This product is not controlled	nder the Seveso II Directive.	
	non-ionic surfactants, phosphates	<5%
No 648/2004)	preservation agents: methylchloroisothiazolinone, methylisothiazolinone, 2-bromo- 2-nitropropane-1,3-diol, dimethylol glycol	
15.2 Chemical Safety Assessment	This product contains substances for which Chemical Safety Assessr required.	nents are still

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms	:	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number
		vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification	
Eye Dam. 1, H318	Expert judgment	

Full text of abbreviated H statements	 H302 Harmful if swallowed. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.
Full text of classifications [CLP/GHS]	: Acute Tox. 4, H302 Eye Dam. 1, H318 Eye Irrit. 2, H319ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Full text of abbreviated R phrases	: R22- Harmful if swallowed. R41- Risk of serious damage to eyes. R36- Irritating to eyes.
Full text of classifications [DSD/DPD]	: Xn - Harmful Xi - Irritant
Date of printing	: 18-5-2015.
Date of issue/ Date of revision	: 13-5-2015.
Date of previous issue	: No previous validation.
Version	: 1
Notice to reader	

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.