



# SPECIFICATION

## DATA SHEET

### BATH WASTE WITH OVERFLOW

PDT-000599

#### GENERAL

|                 |               |
|-----------------|---------------|
| Range name      | TOP FIX       |
| Finish          | Chrome        |
| Barcode         | 5056634504181 |
| Category:       | Bathrooms     |
| Sub Category:   | Accessories   |
| Sub Category 2: | Bath Waste    |



#### FEATURES


1. Top-Fix Installation – Install the overflow and drain from above the bath, without the need to awkwardly reach behind.
2. No Assistance Needed – Clip the hose to join the overflow and drain, eliminating the need for someone to hold parts in place while you fit them.
3. Eliminates Tight Spaces – No more working in cramped or hard-to-reach spaces behind the bath.
4. Fits Standard Baths – Designed to be compatible with most standard baths.
5. Time-Saving for Installers – A quick, professional solution that reduces the need for extra assistance and minimizes installation time.

#### COMPLIANCE

|                      |               |
|----------------------|---------------|
| Related Standard(s): | EN 274-1:2002 |
| DOC ref:             | DOC-14-01     |
| WRAS Approved:       | n/a           |

#### PACKAGING

|                                 |       |
|---------------------------------|-------|
| Product Weight (KG)             | 0.400 |
| Single Box Length (mm)          | 220   |
| Single Box Width (mm)           | 180   |
| Single Box Height (mm)          | 75    |
| Single Item box Weight (KG)     | 0.550 |
| Outer Carton Length (mm)        | 460   |
| Outer Carton Width (mm)         | 375   |
| Outer Carton Height (mm)        | 420   |
| Outer Carton Net Weight (kg)    | 8     |
| Outer Carton Gross Weight (kg)  | 11    |
| Single Item(s) Per Outer Carton | 20    |



#### SPECIFICATION

|                       |                          |
|-----------------------|--------------------------|
| Construction Material | SS & Polypropylene       |
| Colour                | Chrome                   |
| Product Type          | Bath Waste with Overflow |
| Waste Type            | Click-Clack Push Button  |
| Trap Type             | Bath                     |
| Flow Rate (Ltr/Min)   | n/a                      |
| Connection type       | Male Thread              |
| Outlet Thread size:   | G1 1/2"                  |



hello@top-fix.co.uk



01724 847397



Ninth Avenue, Flixborough Ind Est,  
Scunthorpe, North Lincolnshire, DN15 8SL



# SPECIFICATION

## DATA SHEET

### BATH WASTE WITH OVERFLOW

PDT-000730

#### GENERAL

|                 |               |
|-----------------|---------------|
| Range name      | TOP FIX       |
| Finish          | Matt Black    |
| Barcode         | 5056634504853 |
| Category:       | Bathrooms     |
| Sub Category:   | Accessories   |
| Sub Category 2: | Bath Waste    |



#### FEATURES


1. Top-Fix Installation – Install the overflow and drain from above the bath, without the need to awkwardly reach behind.
2. No Assistance Needed – Clip the hose to join the overflow and drain, eliminating the need for someone to hold parts in place while you fit them.
3. Eliminates Tight Spaces – No more working in cramped or hard-to-reach spaces behind the bath.
4. Fits Standard Baths – Designed to be compatible with most standard baths.
5. Time-Saving for Installers – A quick, professional solution that reduces the need for extra assistance and minimizes installation time.

#### COMPLIANCE

|                      |               |
|----------------------|---------------|
| Related Standard(s): | EN 274-1:2002 |
| DOC ref:             | DOC-14-01     |
| WRAS Approved:       | n/a           |

#### PACKAGING

|                                 |       |
|---------------------------------|-------|
| Product Weight (KG)             | 0.400 |
| Single Box Length (mm)          | 220   |
| Single Box Width (mm)           | 180   |
| Single Box Height (mm)          | 75    |
| Single Item box Weight (KG)     | 0.550 |
| Outer Carton Length (mm)        | 460   |
| Outer Carton Width (mm)         | 375   |
| Outer Carton Height (mm)        | 420   |
| Outer Carton Net Weight (kg)    | 8     |
| Outer Carton Gross Weight (kg)  | 11    |
| Single Item(s) Per Outer Carton | 20    |



#### SPECIFICATION

|                       |                          |
|-----------------------|--------------------------|
| Construction Material | SS & Polypropylene       |
| Colour                | Matt Black               |
| Product Type          | Bath Waste with Overflow |
| Waste Type            | Click-Clack Push Button  |
| Trap Type             | Bath                     |
| Flow Rate (Ltr/Min)   | n/a                      |
| Connection type       | Male Thread              |
| Outlet Thread size:   | G1 1/2"                  |



hello@top-fix.co.uk



01724 847397



Ninth Avenue, Flixborough Ind Est,  
Scunthorpe, North Lincolnshire, DN15 8SL



# SPECIFICATION

## DATA SHEET

### BATH WASTE WITH OVERFLOW

PDT-000734

#### GENERAL

|                 |               |
|-----------------|---------------|
| Range name      | TOP FIX       |
| Finish          | Brushed Brass |
| Barcode         | 5056634504891 |
| Category:       | Bathrooms     |
| Sub Category:   | Accessories   |
| Sub Category 2: | Bath Waste    |



#### FEATURES


1. Top-Fix Installation – Install the overflow and drain from above the bath, without the need to awkwardly reach behind.
2. No Assistance Needed – Clip the hose to join the overflow and drain, eliminating the need for someone to hold parts in place while you fit them.
3. Eliminates Tight Spaces – No more working in cramped or hard-to-reach spaces behind the bath.
4. Fits Standard Baths – Designed to be compatible with most standard baths.
5. Time-Saving for Installers – A quick, professional solution that reduces the need for extra assistance and minimizes installation time.

#### COMPLIANCE

|                      |               |
|----------------------|---------------|
| Related Standard(s): | EN 274-1:2002 |
| DOC ref:             | DOC-14-01     |
| WRAS Approved:       | n/a           |

#### PACKAGING

|                                 |       |
|---------------------------------|-------|
| Product Weight (KG)             | 0.400 |
| Single Box Length (mm)          | 220   |
| Single Box Width (mm)           | 180   |
| Single Box Height (mm)          | 75    |
| Single Item box Weight (KG)     | 0.550 |
| Outer Carton Length (mm)        | 460   |
| Outer Carton Width (mm)         | 375   |
| Outer Carton Height (mm)        | 420   |
| Outer Carton Net Weight (kg)    | 8     |
| Outer Carton Gross Weight (kg)  | 11    |
| Single Item(s) Per Outer Carton | 20    |



#### SPECIFICATION

|                       |                          |
|-----------------------|--------------------------|
| Construction Material | SS & Polypropylene       |
| Colour                | Brushed Brass            |
| Product Type          | Bath Waste with Overflow |
| Waste Type            | Click-Clack Push Button  |
| Trap Type             | Bath                     |
| Flow Rate (Ltr/Min)   | n/a                      |
| Connection type       | Male Thread              |
| Outlet Thread size:   | G1 1/2"                  |



hello@top-fix.co.uk



01724 847397



Ninth Avenue, Flixborough Ind Est,  
Scunthorpe, North Lincolnshire, DN15 8SL