


FOR CONSTRUCTION / CUTTING AND GRINDING /
FLEXIBLE DIAMOND POLISHING DISCS

Product reference

DFDIAMA

# Flexible diamond brightening disc / DFDIAMA

| Brand | EAN code | Use |
|---|---|---|
| Bellota | 8414299049664 | For dry brightening of cured concrete or natural stone surfaces. |

## Bullet points

For dry brightening of granite, marble, cured concrete and natural stone surfaces.
Start with the coarsest grain (G100) and work through the remaining grains (G200, G400, G800, G1.500), until polishing with the finest grain (G3.000) to achieve a better finish. For dry polishing of cured concrete or natural stone surfaces, reference DFDIAMA.
Wet use is recommended to extend the lifetime of the disc (better lubrication, cooling and removal of debris) and not to exceed 3,000 rpm during use. Reference support DFDIAMSM14 is required.

## Description

Flexible diamond brightening disc. Can be used dry but wet use is recommended to extend the lifetime of the block (better lubrication, cooling and removal of debris). Start with the coarsest grain (G100) and work through the remaining grains (G200, G400, G800, G1.500), until polishing with the finest grain (G3.000) to achieve a better finish. For a shiny finish, the polishing disc reference DFDIAMA should be used. It is not recommended to exceed 3,000 rpm during use. For dry polishing and brightening of granite, marble, cured concrete and natural stone surfaces.

## Characteristics and attributes

Attributes

Grain size: Abrillantado

## Item dimensions

| Article length (in mm) | Article width (in mm) | High article (in mm) | Net weight (in kg) |
|---|---|---|---|
| 100 | 100 | 3 | 0.025 |

Gross Weight (Kg)

0.066

## Finishes

| Material | Colour | Finish |
|---|---|---|
| Diamond | Black | Plush |

## Classification and certifications

| Tariff code | Certification |
|---|---|
| 68042100 | CE |

## Multimedia Links

Manual

- MANUAL~2.PDF

## Spare parts and accessories

Related articles (Spares)




DFDIAMSM14

Holder for flexible diamond discs - M14 / DFDIAMSM14