

Welcome to The Great Indoors...

www.indoors.ie



Doors that create the personal spaces
for Living, Working, Learning, Playing and Resting.

indoors
BY B&G

open the doors to your imagination...

The beauty and finish of **quality doors sets the tone** for every room in your home.

They are unique, the one piece of furniture that travels through your entire home, room by room. From **joining styles, generating atmospheres and creating moments;** for your favourite relaxing space, the buzz of the dining room, to opening up or creating a cosy atmosphere after a long day..

Quality doors well chosen for style, create an atmosphere that evolves over time. **Season by season, they add new character to rooms ever changing.**

The Indoors range has been carefully **curated over 40 years** of Irish consumer research.

From solid timber, where the rich texture of the wood alone is the styling you require, to the primed for easy painting - **the range is balanced to suit style and budget.**

From **Georgian heritage** and **contemporary American** to **Scandinavian** and **trend setting Italian** styles, all blend into this seasons collection.


INDOORS ENDURE.

Indoors Collection Contents

Sliding Door Kit Collection	4	Oak Collection	44	Slidefold Collection	82
Natural Light Feature	6	Ledged & Braced Collection	52	Radiator Covers	86
Decorative Panel Collection	8	Masonite Collection	54	Care For Your Doors	96
Shaker Collection	20	Fire Door Collection	58	Index	98
Contemporary Grooved	28	Door Accessories	68		
Classic Collection	34	Decorative Mouldings	80		

SLIDE OR HIDE

SLIDING DOOR RAIL KIT



The Indoors Manhattan Aluminium sliding door kit is the latest trend for home owners keen on “space saving”. Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening) Its unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness).

VIEWING FRANKLIN 3 PANEL



Our Loft Sliding Door Kit is a styling statement in itself. Designed to carry a single door, both door and kit combine visual aesthetics with functional space saving, ideal for the modern house or apartment. With smooth movement, it is suitable for all doors within the Indoors collection. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors up to 50mm (thickness). See page 78 for details on our Sliding rail Kits and Accessories.

VIEWING CAMDEN FRAMED L&B

create personal spaces...

the best light is natural light

Reduce your artificial lighting requirements and save energy

Exposure to daylight has been linked to improvements in our wellbeing and mood, and in the home, natural light can make a room lighter and brighter and give the feeling of more space.

If you want to flood your home with natural light, our glazed doors are an ideal solution.



VIEWING KIRKLAND CLEAR GLASS DOOR

FEATURE

PANEL

BOLECTION DOORS

If you are looking to add some eye-catching decoration to your home, we think Bolection doors are a great place to start. Originally a Georgian period style from the early 1700's, this door with its raised mouldings has been refined over the years to allow seamless integration with traditional and modern homes.



PANEL

BELMONT

NEW



Belmont
3 Panel
Primed



Belmont
Panel detail



Recommend
Victorian style
Architrave and skirting
See page 71

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Belmont						

THICKNESS
44MM



VIEWING BELMONT

PANEL

BEDFORD BOLECTION

NEW



Bedford
4 Panel Bolection
Primed

NEW



Bedford
Clear Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Bedford Bolection 4 Panel						
Bedford Bolection Clear Glass						

THICKNESS
44MM
44MM



Bolection
Panel detail



Recommend
Victorian Architrave
and skirting
See page 71



VIEWING BEDFORD CLEAR GLAZED

PANEL

MONROE



Monroe
2 Panel Bolection
Primed



Monroe
Ready to glaze
Primed



Monroe
Clear Glass
Primed



Monroe
Etched Glass
Primed



Monroe
Panel detail



Recommend
Ogee style architrave
and skirting
See page 72



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Monroe 2 Panel Bolection	■	■	■	■	■	■	44MM
Monroe Ready to Glaze	■	■	■	■	■	■	44MM
Monroe Clear Glass	■	■	■	■	■	■	44MM
Monroe Etched Glass	■	■	■	■	■	■	44MM

VIEWING MONROE CLEAR GLAZED

PANEL

FRANKLIN



Franklin
3 Panel
Primed



Franklin
Clear Glass
Primed



Franklin
Frosted Glass
Primed



Franklin
Panel detail



We recommend
Chamfered Architrave
and skirting
See page 74

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Franklin 3 Panel							42MM
Franklin Clear Glass							42MM
Franklin Frosted							42MM



VIEWING FRANKLIN

PANEL

ARDMORE



Ardmore
4 Panel
Primed




Claremont
Ready to Glaze
Primed




Claremont
Clear Bevelled Glass
Primed



Claremont
Cathedral Glass
Primed



Cathedral glass, decorative & textured, allows light to flow without full transparency



Recommend
Georgian Style Architrave
and Edwardian skirting.
See page 70

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Ardmore 4 Panel	█	█	█	█	█	█	44MM
Claremont Ready to Glaze	█	█	█	█	█	█	44MM
Claremont Clear Bevelled Glass	█	█	█	█	█	█	44MM
Claremont Cathedral Glass	█	█	█	█	█	█	44MM



VIEWING ARDMORE

SHAKER

Shaker style doors emphasise craftsmanship and simplicity making them a timeless choice for your home. Shaker style doors boast flat recessed panels to provide depth with dimension and offer a streamlined, modern, functional look that complements almost all decor trends.

Shaker styling endures, suiting classic ,contemporary and modern home styling. Its timeless quality is a favourite for all refurbishments and new developments alike.



SHAKER

BOSTON

ALSO AVAILABLE
FD 30
FIREDOORS

NEW



Boston Shaker
Solid
Primed



Boston Shaker
Clear Glass
Primed



Boston Shaker
Frosted
Primed



Boston Shaker
Crystal Cut Glass
Primed



Boston Shaker
Panel detail



Recommend
Contemporary Architrave
and skirting
See page 73

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Boston 1 Panel							44MM
Boston Clear Glass							44MM
Boston Frosted Glass							44MM
Boston Crystal Cut Glass							44MM

VIEWING BOSTON CRYSTAL CUT GLAZED

SHAKER

KENMORE



Kenmore
Solid Shaker
Primed



Kenmore
Clear Glass
Primed




Kenmore
LAMSAFE® Opaque Glass
Primed



Kenmore
Etched Glass Clear Border
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kenmore Solid Shaker	██████████	██████████	██████████	██████████	██████████	██████████	42MM
Kenmore Clear Glass	██████████	██████████	██████████	██████████	██████████	██████████	42MM
Kenmore Opaque Glass	██████████	██████████	██████████	██████████	██████████	██████████	42MM
Kenmore Clear Glass Border	██████████	██████████	██████████	██████████	██████████	██████████	42MM



Shaker Panel with
Square Edge Slip




Recommend
Contemporary Architrave
and skirting
See page 73



VIEWING KENMORE OPAQUE

SHAKER

KIRKLAND



Kirkland
4 Panel Horizontal
Primed

Kirkland
Clear Glass
Primed

Kirkland
Etched Glass
Primed

Kirkland
Etched Clear Border
Primed



Kirkland
Panel detail



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Kirkland 4 Panel	■	■	■	■	■	■	42MM
Kirkland Clear Glass	■	■	■	■	■	■	42MM
Kirkland Etched Glass	■	■	■	■	■	■	42MM
Kirkland Etched Clear Border	■	■	■	■	■	■	42MM

VIEWING KIRKLAND 4 PANEL & KIRKLAND ETCHED CLEAR BORDER

GROOVED

Grooved doors are contemporary in style. Suitable for the modern home, this collection, with its sleek lines gives you the opportunity to make a statement with your interior.

If you are considering reinvigorating old spaces in your home, the variety of styles offered by our Grooved doors collection will add a signature touch to any room.




GROOVED

SAVANNAH

ATLANTA



Savannah
Panel detail



Atlanta
Panel detail

Savannah
5 panel vertical textured FD30
Primed

Atlanta
1 panel FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Atlanta						
Savannah						

THICKNESS
44MM
44MM




VIEWING ATLANTA


GROOVED

ALTON

BROOKLINE



Brookline
Panel detail



Alton
Panel detail




Alton
Ladder design FD30
Primed

Brookline
4 Line Horizontal FD30
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Alton						
Brookline 4 Line FD30						

THICKNESS
44MM
44MM
44MM



VIEWING BROOKLINE WITH LOFT SLIDING RAIL

CLASSIC

We are excited to bring you new glazed styles from our classic collection. Maximising the potential of natural light within the home through the use of glass is a fundamental idea within the interior design world.

Opting for one of our Classic Glazed doors with their beautiful detailing adds character to the essence of a room and creates areas that feel more spacious and less enclosed. Ideal for any style of home, these doors will really stand the test of time.



CLASSIC

DOVER

NEW

NEW

NEW

NEW



Dover
2 Panel
Primed

Dover
Clear Glass
Primed

Dover Marina
6 Lite Clear Glass
Primed

Dover Templar
9 Lite Clear Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Dover 2 Panel						
Dover Clear Glass						
Dover 6 Lite Clear Glass						
Dover 9 Lite Clear Glass						

THICKNESS
42MM
42MM
42MM
42MM



Introducing the Dover. This range features a selection of ¾ glazed options, allowing abundant light in while still providing essential privacy between rooms.

VIEWING DOVER TEMPLAR

CLASSIC

AUBURN

KILLESHANDRA

WINSTON



Auburn
Etched Glass Clear Border
Primed



Killeshandra
2 Panel Smooth
Primed



Winston
Clear Glazed Etched Corners
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Auburn Etched Glazed	██████████	██████████	██████████	██████████	██████████	██████████
Killeshandra	██████████	██████████	██████████	██████████	██████████	██████████
Winston	██████████	██████████	██████████	██████████	██████████	██████████

THICKNESS
42MM
44MM
42MM



All of white doors and primed and ready to be painted in any colour you choose

VIEWING KILLESHANDRA

CLASSIC

MARSEILLE

BORDEAUX

GIBSON



Marseille
6 Lite Clear Glass
Primed



Bordeaux
Clear Glass
Primed



Gibson
Clear Bevelled Glass
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Marseille						
Bordeaux						
Gibson						

THICKNESS
42MM
42MM
44MM



VIEWING BORDEAUX

CLASSIC

HUDSON HUDSON GATSBY SHANNON CARRICK



Hudson
Etched with clear border
Primed



Hudson Gatsby
Leaded Style Glass
Primed



Shannon
4 Panel Solid FD30
Primed



Carrick
6 panel FD30
Primed



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Hudson						
Hudson Gatsby						
Shannon						
Carrick						

THICKNESS
44MM
44MM
44MM
44MM

VIEWING CARRICK

OAK

Our White Oak Collection is ideal for either contemporary or traditional interiors. Choose from solid and pre-glazed (toughened) options. Have a look at the full range of matching Frames, Skirting and Architraves, on pages 68-79.

- Made with premium grade white oak real wood veneers
- Pre-finished with three coats of hard wearing polyurethane lacquer for a durable, superb, smooth finish
- All Oak Doors 44mm thick

OAK

RUSHMORE - SHAKER



Rushmore
LAMSAFE® Opaque Glass
Pre-Finished




Rushmore
Clear Glass
Pre-Finished



Rushmore
Single Panel
Pre-Finished



Rushmore
Etched with Clear Border
Pre-Finished



Recommend
Shaker inspired
Architrave & Skirting
See page 77

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	THICKNESS
Rushmore LAMSAFE®	█	█	█	█	█	█	44MM
Rushmore Clear Glass	█	█	█	█	█	█	44MM
Rushmore 1 Panel	█	█	█	█	█	█	44MM
Rushmore Etched Clear Border	█	█	█	█	█	█	44MM

It is rare for a style to combine contemporary elegance and remain classic, The Shaker is one such exception. Its appeal can be seen in homes across all continents, the range offers light and solid styles to suit every home.

OAK

HARTFORD

LAWRENCE

ADDISON



Hartford
6 Panel
Pre-Finished

Lawrence
4 Panel
Pre-Finished

Addison
Ready to Glaze
Pre-Finished

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Hartford	████████	████████	████████	████████	████████	████████
Lawrence	████████	████████	████████	████████	████████	████████
Addison Ready to Glaze	████████	████████	████████	████████	████████	████████

THICKNESS
44MM
44MM
44MM



VIEWING LAWRENCE

LEDGED & BRACED



Camden
Framed Ledged & Braced



Camden
Framed Ledged & Braced
Reverse Detail



Ledged & Braced



Reverse Detail

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Camden						
Ledged & Braced						

THICKNESS
44MM
44MM



VIEWING CAMDEN DOOR & LOFT SLIDING RAIL

MASONITE HOLLOW CORE

ATLANTA

SHANNON

SHANNON GLAZED




Atlanta
1 panel
Primed



Shannon
4 Panel
Primed



Shannon
Glazed Smooth
Primed



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Atlanta	█	█	█	█	█	█
Shannon	█	█	█	█	█	█
Shannon Glazed	█	█	█	█	█	█

THICKNESS
44MM
44MM
44MM

Introducing our stunning range of moulded doors which combine style and affordability. Masonite door facings are 100% Irish manufactured. Smooth & textured white base coated faces, suitable for paint finishing.

VIEWING ATLANTA

MASONITE HOLLOW CORE

CARRICK KILLESHANDRA LEITRIM



Carrick
6 Panel Smooth
Primed



Killeshandra
2 Panel Smooth
Primed



Leitrim
6 Panel Textured
Primed

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Carrick	█	█	█	█	█	█
Killeshandra	█	█	█	█	█	█
Leitrim	█	█	█	█	█	█

THICKNESS
44MM
44MM
44MM



VIEWING KILLESHANDRA

FIRE DOORS

Your door can be your greatest friend in times of emergency. Our Fire Door collection is designed and tested to keep you safe when the situation demands it. Solid, easy to maintain and well styled we recommend making this an essential part of your door selection. All our fire doors are independently tested and certified with audits regularly carried out at place of manufacture that cover design, performance and quality assurance. Always refer to relevant fire door certificates for full instructions on installation and compliance.

Our premium moulded fire door range is an exquisite collection of finely detailed moulded panel doors in both classic and contemporary styles. The smooth finish gives a sleek modern look and feel.



FIREDOORS

SAVANNAH

BROOKLINE

ALTON

ATLANTA

BOSTON

FD 30



Savannah
5 panel vertical textured
Primed
FD30

FD 30



Brookline
4 Line Horizontal Smooth
Primed
FD30

FD 30



Alton
Ladder Design Smooth
Primed
FD30

FD 30




Atlanta
1 Panel Smooth
Primed
FD30

FD 30

NEW



Boston Shaker
Solid
Primed
FD30



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Savannah	█	█	█	█	█	█
Brookline	█	█	█	█	█	█
Alton	█	█	█	█	█	█
Atlanta	█	█	█	█	█	█
Boston Shaker	█	█	█	█	█	█

THICKNESS
44MM
44MM
44MM
44MM



VIEWING ALTON

FIREDOORS

KILLESHANDA CARRICK

SHANNON


LEITRIM

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS

FD 30
FRESHIELD
FIREDOORS



Killeshandra
2 Panel Smooth
Primed
FD30

Carrick
6 Panel Smooth
Primed
FD30

Shannon
4 Panel Smooth
Primed
FD30

Leitrim
6 Panel Textured
Primed
FD30



Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)
Killeshandra	██████████	██████████	██████████	██████████	██████████	██████████
Carrick	██████████	██████████	██████████	██████████	██████████	██████████
Shannon	██████████	██████████	██████████	██████████	██████████	██████████
Leitrim	██████████	██████████	██████████	██████████	██████████	██████████

THICKNESS
44MM
44MM
44MM
44MM

VIEWING KILLESHANDRA

FIRE DOORS

BLANKS

POPULAR

POPULAR 7G

POPULAR 18G

FD 30
FRESHIELD
FIREDOORS



Fire Blanks
FD30 sizes: 7ftx3ft or 8ftx4ft
FD60 sizes: 7ftx3ft

FD 30
FRESHIELD
FIREDOORS



Popular Fire Door
Paint Grade
FD30

FD 30
FRESHIELD
FIREDOORS



Popular Glazed Fire Door
Design: 7G
FD30


FD 30
FRESHIELD
FIREDOORS



Popular Glazed Fire Door
Design: 18G
FD30



Popular paint grade doors have hardwood lippings on two vertical edges



*Glazed FIRESHIELD doors are supplied with clear Georgian wired fire rated glass.

PAINTGRADE PLUS

PAINTGRADE PLUS 18G

ALSO AVAILABLE
FD 30
FRESHIELD
FIREDOORS
OR
HOLLOWCORE

NEW

FD 30
FRESHIELD
FIREDOORS



Paint Grade Plus
Primed
FD30




Paint Grade Plus
Design 18G
Primed
FD30

Imperial (Metric)	78x24" (1981x610)	78x26" (1981x660)	78x28" (1981x711)	78x30" (1981x762)	80x32" (2032x813)	80x34" (2032x864)	2040x926	THICKNESS
Popular Fire Door								44MM
Popular Glazed Fire Door 7G								44MM
Popular Glazed Fire Door 18G								44MM
Paint Grade plus Fire Door								44MM
Paint Grade plus Glazed								44MM
Paint Grade Plus Hollow Core								44MM



No on site preparation required • Pre-primed ready to paint •
No sanding or filling required to the face or edge • Only the edge is required to be primed prior to painting • Has a smooth face so easy to paint • Quick installation due to less preparation • Reduced decoration times



VIEWING PAINT GRADE PLUS

FIREDOORS

FLUSH OAK

FD 30
FRESHIELD
FIREDOORS



Flush Oak
Pre-Finished

FD 30
FRESHIELD
FIREDOORS



Flush Oak
Glazed Design 7G
Pre-Finished

FD 30
FRESHIELD
FIREDOORS



Flush Oak
Glazed Design 18G
Pre-Finished

Fire Frames, FD30, FD60 & Intumescent Fire Seals



FD30 Primed Frame
(108mm, 133mm)



Fire Only - Brown



FD30 Primed
With Fireseal



Fire Only - White



FD60 Primed
Hardwood Frame
(90mm x 44mm x 2.1m)



Fire & Smoke - Brown



FD60 Frame
With Fireseal



Fire & Smoke White

	Imperial	Metric	78x24"	(1981x610)	78x26"	(1981x660)	78x28"	(1981x711)	78x30"	(1981x762)	80x32"	(2032x813)	80x34"	(2032x864)
Flush Oak FD30														
Flush Oak FD60														
Flush Oak Glazed 7G														
Flush Oak Glazed 18G														

THICKNESS
44MM
44MM
44MM
44MM



VIEWING FLUSH OAK & FLUSH OAK 18G GLAZED




DOOR ACCESSORIES



VIEWING ARDMORE DOOR WITH GEORGIAN ARCHITRAVE



STYLE

GEORGIAN & EDWARDIAN

	Architrave Profile	PRIMED GEORGIAN ARCHITRAVE & PLINTH BLOCK
	Plinth Block Profile	CODE PRMARGN
	Georgian Corner	DESCRIPTION Primed Georgian Arch 89x19x2.25 (5pcs) with plinths
		PRIMED GEORGIAN CORNER BLOCKS
		CODE PRMBLK106
		DESCRIPTION Primed Georgian Corner Blocks 30x106mm (4 pcs)
		PRIMED EDWARDIAN SKIRTING
		CODE PRMSKTED
		DESCRIPTION Primed Edwardian Skirting 25x169x3.6(5pcs)



VICTORIAN & EDWARDIAN

	Architrave Profile	PRIMED VICTORIAN ARCHITRAVE
	Skirting Profile	CODE PRMARCVN
		DESCRIPTION Primed Victorian Architrave 31x120x2.4 (5 Pcs)
		PRIMED EDWARDIAN SKIRTING
		CODE PRMSKTED
		DESCRIPTION Primed Edwardian Skirting 25x169x3.6(5pcs)




STYLE

PRIMED OGEE STYLE




PRIMED OGEE ARCHITRAVE

CODE	DESCRIPTION
PRMARCH	4" Primed Ogee Architrave



PRIMED OGEE SKIRTING

CODE	DESCRIPTION
PRMSKTG	6" Primed Ogee Skirting




Made from engineered solid wood, our versatile Primed Ogee style Architrave & Skirting complements any door style or finish. Choose your own colour scheme and create a unique identity for your home.

PRIMED CONTEMPORARY STYLE




PRIMED CONTEMPORARY ARCHITRAVE

CODE	DESCRIPTION
PRMARCON	4" Primed Contemporary Architrave



PRIMED CONTEMPORARY SKIRTING

CODE	DESCRIPTION
PRMSKTCON	6" Primed Contemporary Skirting



Made from engineered solid wood. Our Contemporary style Primed Architrave & Skirting combines contemporary design with classic styling. The ideal finish to complement shaker doors.

STYLE

PRIMED CHAMFERED STYLE



PRIMED CHAMFERED ARCHITRAVE	
CODE	DESCRIPTION
PRMARCHF	4" Primed Chamfered Architrave
PRIMED CHAMFERED SKIRTING	
CODE	DESCRIPTION
PRMSKTCHF	6" Primed Chamfered Skirting



Made from engineered solid wood. The versatility of a primed white finish combined with the latest trend in Chamfered profiles makes this Architrave & Skirting a popular choice. Ideal for contemporary projects.

PRE-FINISHED OAK CHAMFERED STYLE



PRE-FINISHED OAK CHAMFERED ARCHITRAVE	
CODE	DESCRIPTION
OAKARCHF	4" Oak Chamfered Architrave
PRE-FINISHED OAK CHAMFERED SKIRTING	
CODE	DESCRIPTION
OAKSKTCHF	6" Oak Chamfered Skirting




The Chamfered profile is the latest trend in Architrave & Skirting. Ideal for contemporary projects, it adds a unique style to any home.

STYLE

PRE-FINISHED OAK OGEE STYLE



Architrave Profile



Skirting Profile

PRE-FINISHED OAK OGEE ARCHITRAVE

CODE	DESCRIPTION
OAKARCH	4" Oak Ogee Architrave
OAKARCH3	3" Oak Ogee Architrave

PRE-FINISHED OAK OGEE SKIRTING

CODE	DESCRIPTION
OAKSKTG	6" Oak Ogee Skirting
OAKSKTG5	5" Oak Ogee Skirting




Our Ogee style Architrave & Skirting is ideal for adding classic and authentic elegance to your home.

PRE-FINISHED OAK CONTEMPORARY STYLE



Architrave Profile



Skirting Profile

PRE-FINISHED OAK CONTEMPORARY ARCHITRAVE

CODE	DESCRIPTION
OAKARCON	4" Oak Contemporary Architrave

PRE-FINISHED OAK CONTEMPORARY SKIRTING

CODE	DESCRIPTION
OAKSKCON	6" Oak Contemporary Skirting



Our contemporary style Architrave & Skirting combines contemporary design with classic styling. The ideal finishing touch to complement our shaker doors.



ACCESSORIES

DOOR ACCESSORIES



Oak Frame
(108mm,133mm,150mm)



Oak Pre-Finished Plant on Door Stop
44x12x2.2m


Oak Pre-Finished Plant on Door Slip
94x12x2.2m



Saddle Boards
1m & 1.8m

Oak

White Deal



Primed White Frame
(108mm,133mm,150mm)



HOCKEY STICK

Further enhance your Architrave with the addition of our elegant hockey stick, creating a classic heritage look.



T-REBATE STRIP

Our T-Rebate door slip is a convenient and stylish solution for double door installation.



DOOR FRAMES

CODE	DESCRIPTION
OAKFRAM108	108mm Oak Door Frame
OAKFRAM	133mm Oak Door Frame
OAKFRAM150	150mm Oak Door Frame
PRMFRAM108	108mm Primed Door Frame
PRMFRAM133	133mm Primed Door Frame
PRMFRAM150	150mm Primed Door Frame

SADDLE BOARD, STOPS & SLIPS

CODE	DESCRIPTION
KDS001P	1M Oak Saddle Board
KDS018P	1.8M Oak Saddle Board
SBWD36	1M White Deal Saddle Board
SBWD18	1.8M White Deal Saddle Board
OAKSTOP	Oak Plant On Door Stop
OAKSLIP	Oak Plant On Door Slip

T-REBATES & HOCKEY

CODE	DESCRIPTION
OAKHOCK	Oak Hockey Stick
PRMHOCK	Primed Hockey Stick
44OAKTR	Oak T-Rebate Moulding
44PRMTR	White T-Rebate Moulding

SLIDING DOOR KITS

CODE	DESCRIPTION
K1557702	Manhattan Aluminum Sliding Door Kit
K1557704	2m Sliding Door Rail Aluminium Cover
K1557706	Sliding Door Rail Soft Close Mechanism
K1557705	2m 100kg Loft Black Sliding Door Rail Kit
K1557708	Loft Sliding Door Rail Soft Close
K1557713	Double Door Joining Bracket for Loft Rails

SLIDE OR HIDE



CAN BE FITTED AS A POCKET DOOR SLIDING SYSTEM OR AS A WALL MOUNTED SLIDING SYSTEM



Joining Bracket




Soft Close Mechanism



Soft Close Mechanism

DECORATIVE

DECORATIVE MOULDINGS



CODE

DEC2003
DEC6003
DEC6013
DEC6009
DEC6039
COV6001
COV6010
WDW6001
DEC6019
DEC6016
DEC6011
PRMHOCK
OAKHOCK
44PRMTR
44OAKTR
DEC6014
DEC6018
DEC6023
DEC6024
DEC6036
DEC6031
DEC6035

PRODUCT

LIGHT HARDWOOD BOG
PINE BOG
PINE DADO RAIL
PINE DADO RAIL
PINE PICTURE RAIL
PINE OVOLO
PINE HOCKEY STICK
PINE GLASSBEAD
PINE BARREL
PINE DECORATIVE PANEL
DECORATIVE PINE PANEL
HOCKEY STICK PRIMED
HOCKEY STICK OAK
T-REBATE PRIMED
T-REBATE OAK
PINE DECORATIVE PANEL
PINE DECORATIVE PANEL
PINE DECORATIVE PANEL
PINE DECORATIVE PANEL
PINE REED
PINE DECORATIVE COVER
PINE DOUBLE ASTRAGAL

SIZE (MM)

7 X 16 X 2.4M
8 X 21 X 2.4M
45 X 20 X 2.4M
70 X 19 X 2.4M
43 X 18 X 2.4M
34 X 8 X 2.4M
20 X 8 X 2.4M
8 X 11 X 2.4M
34 X 12 X 2.4M
8 X 21 X 2.4M
15 X 45 X 2.4M
30 X 18 X 2.25MM
30 X 20 X 2.25MM
SUITABLE FOR 44MM DOOR
SUITABLE FOR 44MM DOOR
8 X 20 X 2.4M
11 X 28 X 2.4M
7 X 45 X 2.4M
7 X 56 X 2.4M
6 X 34 X 2.4M
7 X 35 X 2.4M
20 X 44 X 2.4M

PACK QTY

20
24
10
6
10
20
16
20
24
24
16
10
10
5
5
24
10
20
20
16
10
10



To complement our Indoors collection, consider our Picton range of decorative mouldings. You can now create the total look to meet your decorative requirements.

GET THE LOOK...




Our collections of Decorative and Architectural Mouldings are of the highest quality and can add a design feature or totally transform the look or character of a whole room.

SLIDEFOLD

WHITE FINESSE

- Engineered construction for additional stability
- Available in Pre Finished White or Unfinished Oak veneered surface
- All Doors are 40mm thick
- Each Set supplied with doors, frame, seals, folding hardware and mortice lock.
- Glass is tempered safety glass & complies with BSEN12150/12600



The sets can be fitted to open into or out from the room of your choice, and opening from left to right or from right to left. All sets are 2074mm high, outer frame dimension. Each door is 40mm thick and the frames size is 110mm.

Size Guide

All sets are 2074mm high, outer frame dimension. The sets are available in 4 different sizes.

Outer Frame Width

1790mm	2390mm
2090mm	2990mm

The slidefold finesse door is a unique folding, sliding door system that provides a combination of quality, design, technology and affordability and has taken the market by storm. The doors are based on our highly successful and extremely popular external, sliding, folding door sets.



OAK FINESSE

The Finesse internal folding sliding door and room divider brings elegance and beauty to the inside of your home, giving you the option of bright open spaces when open, and cosy rooms when closed.

Finesse has a top-hung roller system for a smooth fingertip opening and closing action.


Consisting of a single glass pane of toughened safety glass, the Finesse room divider is totally reversible for left or right opening without having to specify on the order. There is a daily access door for ease of entry and exit without having to open the whole of the set.



Special seals keep the draughts out.



Slide bolts are included to keep the doors closed and in line



Our internal doors are the first in Ireland with completely premachined frames for easy assembly.



Your flooring butts up neatly to the oak sill, which has a special aluminium sub sill for easy fitting and extra strength

Simple to install, each Finesse internal folding sliding door set includes doors, frames, top quality aluminium - folding hardware, tracks, and easy-to-follow assembly and installation instructions. Door handle is not supplied so you can acquire one that matches your other internal door handles.



SLIDEFOLD

INTERIOR INSPIRE

SlideFold Inspire folding doors are a totally new and unique concept in internal folding room dividers. It offers simplicity, flexibility and stunning good looks simply not available from any other manufacturer.

SlideFold Inspire 8ft and 9ft have four doors, with the two centre doors opening individually or together, for daily access between the rooms.

Then by simply unlocking the top slide bolts the doors can be folded to the left and the right and then easily fold back against the wall to provide full open access between the two rooms. The 6ft and 7ft sets have three doors only, the 4ft and 5ft set have 2 doors only.

Size Guide

All sets are 2007mm high, outer frame dimension. The sets are available in 6 different sizes.

Outer Frame Width

1190mm	2090mm
1490mm	2390mm
1790mm	2690mm

Simple Engineered construction for additional stability. Unfinished Oak veneered surface. All Doors are 40mm thick. Each Set supplied with doors, frame, seals, folding hardware and mortice lock. Glass is tempered safety glass & complies with BSEN12150/12600



INTERIOR

SLIDING DOOR RAIL KIT



The Indoors Aluminium sliding door kit is the latest trend for home owners keen on "space saving". Our aluminium sliding door kit can be used for both Pocket Doors (hidden from view, where doors slide into the wall) and wall mounted sliding door systems (the kit is visibly mounted above the door opening) Its unique wheel and track system ensures the highest quality movement on the market. It comes with an optional soft close feature. For double door specifications, two kits will be required. Each Kit is 2m long and can hold a maximum weight of 100kg, Suitable for all doors between 18-44mm (thickness). See page 78 for details on our Sliding rail Kits and Accessories.

HOTSTUFF!

RADIATOR COVERS

The radiator cover collection from Tema aims to bring style and elegance to your home. Our radiator covers are effortless both in aesthetic and build, you can upgrade the look of your home by turning your radiator into a perfect piece of furniture for your living space that can be assembled in minutes!

What Tema radiator covers promise to deliver:

- Our radiators covers are designed to allow heat to flow freely
- Protect infants from dangerous hot surfaces
- Conceal unsightly radiators and provide a new piece of furniture for your home
- Can be used as a stand alone piece of decorative furniture where no radiator is present.
- Assemble within minutes and without professional help


To view the full collection, please visit us at www.bghome.ie




HOTSTUFF!

GEORGIAN

GEORGIAN TWO TONE



- Luxurious Georgian style.
- Satin White
- Oregon grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.



- Prefinished white and oak veneer
- Assembles in minutes.
- Easy 'keyslot fittings'.
- Includes grille

All Sizes in mm		Small	Medium	Large	Choosing Your Radiator Cover
Width	External Cabinet Size	1017	1198	1710	Step 1 Measure your radiator size (including valves)
	Maximum Radiator Size	910	1100	1600	
Height	External Cabinet Size	800	900	900	Step 2 Choose your radiator cover design
	Maximum Radiator Size	750	855	855	
Depth	External Cabinet Size	180	200	200	Step 3 Choose the appropriate radiator cover size
	Maximum Radiator Size	100	120	120	



HOTSTUFF!

CLASSIC ADJUSTABLE

TWO TONE ADJUSTABLE



- Pre-finished White.
- Adjustable width for perfect fit.
- Assembles in minutes.
- Easy 'keyslot fittings'.
- Includes grille.



- Adjustable width for perfect fit.
- Complete with best selling Oregon screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large
Width	External Cabinet Size	Min Max	975 1425	1430 2000
	Maximum Radiator Size	Min Max	900 1350	1355 1925
Height	External Cabinet Size	Maximum Radiator Size	918 870	918 870
	External Cabinet Size	Maximum Radiator Size	220 140	220 140

Choosing Your Radiator Cover

- Step 1** Measure your radiator size (including valves)
- Step 2** Choose your radiator cover design
- Step 3** Choose the appropriate radiator cover size



VIEWING CLASSIC ADJUSTABLE


HOTSTUFF!

RHODE ISLAND



- Contemporary design.
- Pre-Finished in Satin White.
- Slatted grill removes for easy access to radiator valves.
- Available in 3 popular sizes.
- Easy click assembly with wall fixings.

All Sizes in mm		Small	Medium	Large	Choosing Your Radiator Cover
Width	External Cabinet Size	1020	1195	1710	Step 1 Measure your radiator size (including valves)
	Maximum Radiator Size	940	1113	1640	
Height	External Cabinet Size	800	900	900	Step 2 Choose your radiator cover design
	Maximum Radiator Size	775	870	870	
Depth	External Cabinet Size	180	200	200	Step 3 Choose the appropriate radiator cover size
	Maximum Radiator Size	110	130	130	



HOTSTUFF!

CONTEMPORARY ADJUSTABLE



- Adjustable width for perfect fit.
- Complete with best selling Oregon screen.
- Pre-finished White & Oak Veneer.
- Available in medium and large.
- Easy click assembly with wall fixings.

All Sizes in mm			Medium	Large
Width	External Cabinet Size	Min Max	975 1425	1430 2000
	Maximum Radiator Size	Min Max	900 1350	1355 1925
Height	External Cabinet Size	Maximum Radiator Size	918 870	918 870
	External Cabinet Size	Maximum Radiator Size	220 140	220 140

Choosing Your Radiator Cover

Step 1 Measure your radiator size (including valves)

Step 2 Choose your radiator cover design

Step 3 Choose the appropriate radiator cover size



VIEWING CONTEMPORARY ADJUSTABLE

TO ENSURE THAT YOUR DOORS LOOK AND PERFORM TO THE HIGHEST STANDARDS, Please Follow These Care And Installation Guidelines:

WHEN YOU RECEIVE YOUR DOORS

You should check each door thoroughly to ensure it is in perfect condition and have not been damaged during transit or storage and report any problems immediately. Always use 2 people when lifting doors and lift by the edges and not by the glazing bars or panels. Allow your doors at least 7 days to acclimatise to the room where they will be fitted. Store them at normal room temperature (about 20 degrees) lying FLAT on 3 battens to allow the air to circulate. Ensure the room is dry and well ventilated.

TEMPERATURE & HUMIDITY

All timber naturally expands when it absorbs moisture, and contracts when it dries. It is vitally important that your doors are protected from extremes of heat and humidity. Never fit or store doors in a newly plastered room or building. Please allow at least three months to ensure the rooms have been heated and dried thoroughly. We recommend that rooms are maintained between 18 - 20 degrees Celsius and between 40% - 60% humidity. Extremes of heat, dryness or humidity can cause cracking or warping. If under-floor heating is installed, it is recommended that it is not kept at a high setting for prolonged periods and at least 3 coats of sealer are applied on the bottom edge of each door.

UNFINISHED DOORS - SEAL BEFORE HANGING

You must not hang unfinished doors without fully sealing all surfaces, edges & cut-outs. It is very important that end grain on the top and bottom edges of the door is fully sealed as

this is where moisture can most easily enter the door. Failure to properly seal the door can result in swelling, twisting, bowing, de-lamination or cracking. These problems may occur immediately or over a prolonged period depending on the conditions. We recommend that 2 coats of solvent based sealer are used. In areas such as bathrooms, kitchens and hot presses, where variations in humidity are likely, we recommend an extra coat of sealer. Water based finishes are NOT suitable for sealing wooden doors and base coat stains or primers are not considered to be an adequate sealant.

PRIMED/PRE-FINISHED DOORS - RESEAL AFTER ALTERING

Primed or Pre-Finished doors are already fully sealed. It is important however, to re-seal all exposed surfaces after trimming or cutting out for locks and hinges. Handle pre-finished doors with extreme care to ensure the surface is not damaged in any way. Doors should not be laid on their side or edge without protecting the surface with cardboard.

ALL PRE-GLAZED DOORS FITTED WITH SAFETY GLASS

For your safety, all our pre-glazed doors use toughened or laminated glass. Take care to avoid any impact to glass when hanging or fitting the hardware. For a superior finish, some of our Pre-Glazed doors may be glazed using the Cassette Glazing System and cannot be replaced. Glass should be checked thoroughly in daylight before hanging and any defects reported immediately.

GLASS MAINTENANCE

Glass may be cleaned using a soft damp cloth. Do not use any abrasives or cleaning fluids. Care should be taken when cleaning leaded or screen printed glass as excessive cleaning can damage or remove the finish.

INSTALLING YOUR DOOR

Before you start, inspect your doors thoroughly on all sides. Any roughness or slight gaps on unfinished or primed doors can simply be rectified by light sanding. Wood filler may be used if necessary to achieve a perfect finish. If you need to trim the door, reduce equally on both sides by no more than 5mm. The top and bottom of the door should not be reduced by more than 10mm to maintain the proportions and stability of the door. Do not fit locks where the stile meets the mid-rail, as this could weaken the door joints. Keep the lock cavity to a minimum. Locks etc. must be installed before hanging the door and always use 3 hinges. Care should be taken to ensure hinges are fitted in perfect alignment.

If you need to rebate your doors, you should check the individual door specifications before rebating as not all doors are suitable for rebating. Rebate strips are available to suit most doors

FINAL FINISHING (UNFINISHED DOORS ONLY)

When the sealed door is hung, it should be finished immediately with a good, oil based paint or varnish treatment. Always follow the manufacturers' instructions for the paint stain

or varnish to be used. All surfaces of the door must be treated at the same time to prevent moisture imbalance, do not finish one side of the door only.

CARE AND MAINTENANCE

Regular care and maintenance will enhance the appearance and pro-long the life of your doors. Annual inspection and touch ups will prevent any breakdown of the finish and also protects the timber from deterioration. Panels are floating and can expand or contract to allow for variations in temperature. This can occasionally expose paint lines along the edges. This is not a fault and can easily be sanded and refinished. Regularly clean glass with warm, soapy water. Avoid using abrasives or excessive scrubbing as this may cause scratches or remove designs.

LIMITED 12 MONTH GUARANTEE ON INDOORS

All Indoors Products are guaranteed against any manufacturing faults or defects for a period of 12 months from date of purchase. For our guarantee to be valid, all of the above guide-lines must be followed. Timber is a naturally grown product which makes every door unique as such there can be a certain amount of colour variation in the timber or the veneer. Uniformity of grain or knots cannot be guaranteed. In the event that there is any defect in the product arising from manufacture or materials, we will immediately replace or refund the door, however no liability can be accepted for any other consequential costs such as painting, storage or installation.

INDEX



Page 10



Page 12



Page 12



Page 14



Page 14



Page 14



Page 14



Page 16



Page 16



Page 16



Page 18



Page 18



Page 38



Page 40



Page 40



Page 40



Page 42



Page 42



Page 42



Page 42



Page 54



Page 56



Page 18



Page 18



Page 22



Page 22



Page 22



Page 22



Page 24



Page 24



Page 24



Page 24



Page 26



Page 26



Page 46



Page 46



Page 46



Page 46



Page 48



Page 48



Page 48



Page 50



Page 50



Page 50



Page 52



Page 52



Page 26



Page 26



Page 30



Page 30



Page 32



Page 32



Page 36



Page 36



Page 36



Page 36



Page 38



Page 38



Page 64



Page 64



Page 64



Page 64



Page 64



Page 64



Page 66



Page 66



Page 66

this season we are
primed for colour...



INDOORS IS A TRADEMARK OF B&G LIMITED,
FIND US AT WWW.BGHOME.IE OR CONTACT US ON (01) 4569300
Follow us on Social